AD)			
		_	 	

Award Number: DAMD17-03-1-0263

TITLE: Targeted Ablation of CML Stem Cells

PRINCIPAL INVESTIGATOR: Craig T. Jordan, Ph.D.

CONTRACTING ORGANIZATION: University of Kentucky Research

Foundation

Lexington, KY 40506-0057

REPORT DATE: May 2004

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget. Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED			
(Leave blank)	May 2004	Annual (15 Apr	2003 - 14	Apr 2004)	
4. TITLE AND SUBTITLE			5. FUNDING N	UMBERS	
Targeted Ablation of CML	Stem Cells		DAMD17-03	-1-0263	
6. AUTHOR(S)			1		
Craig T. Jordan, Ph.D.					
7. PERFORMING ORGANIZATION NAM		***************************************		G ORGANIZATION	
University of Kentucky R Lexington, KY 40506-005			REPORT NU	MBEK	
Lexington, Ri 40506-005	0 /				
E-Mail: cjordan@uky.edu					
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS	S(ES)			NG / MONITORING EPORT NUMBER	
U.S. Army Medical Resear		ınd			
Fort Detrick, Maryland	21702-5012				
			}		
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION / AVAILABILITY S	STATEMENT			12b. DISTRIBUTION CODE	
Approved for Public Rele	ease; Distribution Unl	imited			
12 ARCTRACT /Maximum 200 Mords	.1				

13. ABSTRACT (Maximum 200 Words)

The purpose of this grant project is to identify and characterize methods for ablation of CML stem cells. Numerous studies have shown that malignant stem cells lie at the heart of CML disease; therefore, specific targeting of these cells is essential for more durable remission and cure. Consequently, we are employing both mouse and human model systems to study the nature of CML stem cells and to identify effective drug combinations that will preferentially destroy malignant stem cells while sparing normal cells. Studies to date in our mouse model system indicate that PS-341 may be a drug that effectively targets primitive CML cells.

14. SUBJECT TERMS	15. NUMBER OF PAGES		
CML, leukemia, stem ce	16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	Unlimited

Table of Contents

Cover	1
SF 298	2
Introduction	4
Body	4-5
Key Research Accomplishments	6
Reportable Outcomes	6
Conclusions	6
References	6
Annendices	6

Introduction

The purpose of this grant project is to identify and characterize methods for ablation of CML stem cells. Numerous studies have shown that malignant stem cells lie at the heart of CML disease; therefore, specific targeting of these cells is essential for more durable remission and cure. To this end, we are employing both mouse and human model systems to study the nature of CML stem cells and to identify effective drug combinations that will preferentially destroy malignant stem cells while sparing normal cells.

Body


PLEASE NOTE: Although this report covers the first year of the grant project, it should be noted that research activities were only conducted from the beginning of the grant period on April 15th, 2003 until August 31st, 2003. At that time Dr. Jordan moved his laboratory from the University of Kentucky to the University of Rochester. Since that time, Dr. Jordan has been in the process of completing the requirements for transfer of the grant. The University of Kentucky only released a final financial report in February 2004 and still has not completed transfer of unexpended funds from year one. Hence, laboratory activities have been suspended pending completion of the grant transfer. This report consequently documents progress for the 4.5 month period prior to August 31st.

SOW task #1: To investigate apoptosis induction for human CML stem cells. Studies to investigate the effects of proteasome inhibitors and idarubicin on CML stem cells were initiated. Preliminary data indicate a statistically significant reduction in CML CD34+ cells in comparison to normal controls. Further studies are pending upon transfer of the grant to the University of Rochester. In addition, we have collected 8 CML specimens and isolated DNA to analyze for the presence/function of p53.

SOW task #2: To analyze the role of NF-kB in the biology of CML stem cells. These studies are not scheduled to begin until month 12 of the project

SOW task #3: To investigate the in vivo biology of CML stem cells in response to apoptotic stimuli.

Experiments to characterize the response of CML cells to PS341 were initiated. Studies to date have examined how cells transformed with the BCR/ABL oncogene are affected. The figures below demonstrate that PS341 is preferentially cytotoxic to BCR/ABL transformed cells in comparison to normal controls.






Figure 1: Effect of PS-341 on the growth of BCR/ABL transduced cells. a. Annexin V labeling of naïve or BCR/ABL-transduced cells treated with different concentrations of PS341 for 18 hrs *in vitro*. b. *In vitro* Colony-forming Cell (CFC) assays of untreated or PS341 (50 nM) treated marrow cells after 18 hrs of culture. Colony formation was evaluated after 10 days.




Figure 2: Effect of PS-341 treatment on transplantation of cells in recipient mice. Engraftment of BCR/ABL transformed cells was determined after 18 hrs of culture ± 50 nM PS341 as compared to freshly transplanted BCR/ABL transformed cells (four animals were analyzed from each group). Flow cytometric analysis of peripheral blood from each group was performed 14 days following transplantation into sublethally (600 rad) irradiated recipients. The percentage of GFP+ cells indicates the level of leukemic cell engraftment.

Key Research Accomplishments

Established preferential toxicity of PS-341 for BCR/ABL transformed cells.

Reportable Outcomes

Manuscript in preparation that describes our studies of PS-341 for BCR/ABL transformed cells.

Conclusions

The initial findings suggest that PS-341 may be effective for treatment of chronic phase CML.

References

N/A

Appendices

N/A